
Contents

Preface.....	xv
Acknowledgments.....	xvii
Authors.....	xix
1. Introduction to Micro EDM.....	1
1.1 The Need for Micromachining Technologies and Their Applications.....	1
1.1.1 Subtractive Processes.....	3
1.1.2 Additive Processes.....	4
1.1.3 Deforming Processes.....	5
1.2 Micro EDM as a Prominent Micromachining Technique.....	8
1.2.1 History of EDM.....	8
1.2.2 The General Principle of Micro EDM.....	17
1.2.3 Micro EDM vs. Macro EDM.....	19
1.2.3.1 Power Supply.....	20
1.2.3.2 Tool Size/Spark Gap/Plasma Radius.....	20
1.2.3.3 Crater Size/MRR/Surface Roughness/ Minimum Achievable-Size of the Part.....	21
1.3 General Components of Micro EDM.....	22
1.3.1 Spark Generator/Pulse Generator.....	22
1.3.2 Servo Control System.....	23
1.3.3 The Dielectric Fluid Supply System.....	24
1.3.4 Positioning System.....	24
1.3.5 Measurement System.....	24
1.4 Machining Parameters/Performance Parameters.....	24
1.5 Micro EDM Variants.....	25
1.5.1 Micro Die-Sinking EDM.....	25
1.5.2 Micro EDM Milling.....	25
1.5.3 Microwire EDM.....	25
1.5.4 Micro Electrodischarge Grinding.....	25
1.6 Advantages.....	30
1.7 Challenges.....	30
1.8 Conclusion.....	31
References.....	31
2. General Components of Machine Tool.....	37
2.1 Introduction.....	37
2.1.1 Discharge Energy/Discharge Frequency/ Machining Parameters.....	37

2.1.2	Precision in Movement.....	39
2.1.3	Spark Gap Control	39
2.1.4	Tool Wear Compensation.....	39
2.1.5	Thermal Deformations.....	39
2.1.6	Other Considerations	40
2.2	Machine Structure, Vibration Dampers, and Spindle Unit	42
2.2.1	Functions of Structural Elements	44
2.2.2	Materials for Machine Tool Structure.....	44
2.2.3	Vibration Isolators/Dampers	46
2.2.4	Machine Spindle	47
2.2.4.1	Thermal Errors in the Machine Tool Spindle.....	49
2.3	Position Control and Servo Control System.....	49
2.3.1	Guideways	51
2.3.1.1	Frictional Guides	51
2.3.1.2	Rolling Guides	51
2.3.1.3	Hydrostatic/Aerostatic Guides.....	52
2.3.1.4	Magnetic Levitation Guides	52
2.3.1.5	Compliant Mechanisms	52
2.3.2	Drive Systems.....	52
2.3.2.1	Ball Screw Mechanism	52
2.3.2.2	Linear Motor	54
2.3.2.3	Local Actuators.....	55
2.3.2.4	Piezoelectric Actuators.....	55
2.3.2.5	Maglev Actuators	55
2.3.2.6	Hybrid Systems.....	56
2.3.3	Sensors.....	57
2.4	Pulse Generators	59
2.4.1	Transistor-Based Pulse Generator	60
2.4.1.1	Important Characteristics of Transistor-Based Pulse Generators.....	60
2.4.1.2	Pulse Characteristics.....	61
2.4.2	RC Pulse Generator	62
2.4.2.1	Important Characteristics of RC-Type Pulse Generators.....	62
2.4.2.2	Alternating Current Phenomena in RC Circuits	63
2.4.3	Comparison of RC and Transistor-Based Pulse Generators	65
2.4.4	Servo Control Based on Pulse Discrimination	66
2.4.5	Modified Pulse Generators.....	68
2.4.5.1	Transistor-Based Isopulse Generator	68
2.4.5.2	Smart EDM Generator	70
2.4.5.3	Bipolar Pulse Generator	70
2.4.5.4	Hybrid Two-Stage Pulse Generator	72

2.4.5.5	Modified RC Circuit with an N-Channel MOSFET Control	72
2.4.5.6	Multimode Power Supply	72
2.4.5.7	H-Bridge Generator	73
2.4.5.8	Capacity-Coupled Pulse Generator	73
2.4.5.9	Pulse Generator Based on Electrostatic Induction Feeding	73
2.4.5.10	PULSAR Pulse Generator.....	74
2.5	Servo Control System	74
2.5.1	The Need for Tool Retraction	77
2.5.2	Servo Control for the RC Circuit	77
2.5.3	Servo Control for the Transistor Circuit	78
2.5.4	Model of the Gap Control System	78
2.5.5	Adaptive Control Systems in EDM	80
2.5.6	PID Control.....	81
2.5.7	Pulse Discrimination for Gap State Control	84
2.6	Dielectric Supply	87
2.6.1	Common Dielectric Fluids and Properties	91
2.6.1.1	Hydrocarbon Oil	91
2.6.1.2	Deionized Water	91
2.6.2	Special Dielectric Fluids.....	92
2.6.2.1	Powder-Mixed Dielectric Fluids	92
2.6.3	Dielectric Supply System	93
2.7	Measurement Systems.....	94
2.8	Tool Electrodes	95
2.8.1	Special Tool Electrodes	97
2.9	Workpiece Materials.....	99
2.10	Additional Technologies	99
2.11	Conclusions.....	100
	References	101
3.	Micro EDM Milling	119
3.1	Introduction	119
3.2	Principle of Machining.....	119
3.2.1	Bulk Machining.....	120
3.2.2	Layerwise Machining	120
3.3	Microscopic Analysis of the Machining Process.....	121
3.3.1	Effect of Tool Rotation on Sparking	122
3.3.2	Globule Formation.....	122
3.3.3	Formation of Milling Marks.....	123
3.4	Tool Path Generation	124
3.5	Process Capability and Applications	125
3.5.1	Fabrication of 3D Microfeatures	125
3.5.2	Microcomponents and Microfluidic Devices.....	126

3.5.3	Micromolds and Punching Dies.....	127
3.6	Advantages	128
3.7	Challenges.....	129
3.8	Conclusion.....	130
	References	130
4.	Micro Die-Sinking EDM	133
4.1	Introduction	133
4.2	Principle of Operation.....	134
4.3	Machining Behavior	134
4.3.1	Secondary Discharges.....	134
4.3.2	Workpiece Deposition.....	135
4.3.3	Step Effect	136
4.4	Applications and Process Capabilities.....	137
4.4.1	Fuel Cell.....	137
4.4.2	Micromixing Device.....	138
4.4.3	3D Microstructures.....	138
4.4.4	Array of Circular and Noncircular Holes	139
4.4.5	Micromolds.....	140
4.5	Advantages	140
4.6	Challenges.....	140
4.7	Conclusion.....	141
	References	141
5.	Micro EDM Drilling	143
5.1	Introduction	143
5.2	Principle of Operation.....	144
5.3	Machining Behavior	145
5.3.1	Effect of Debris Particles.....	145
5.3.2	Hole Depth.....	146
5.3.3	Electrode Size	147
5.3.4	Grain Size and Crystallographic Orientation of Workpiece Material.....	147
5.4	Process Capabilities and Applications.....	148
5.4.1	Deep-Hole Microdrilling.....	148
5.4.2	Drilling Microholes in Carbon Fiber- Reinforced Plastics.....	150
5.4.3	Spray Holes in Fuel Jet Nozzles	151
5.4.4	Cooling Holes in Turbine Blades	152
5.4.5	Biomedical Implants.....	152
5.4.6	Multifiber Titanium Ferrules	152
5.5	Advantages	155
5.6	Challenges.....	155
5.7	Conclusion.....	155
	References	156

6. Other Relevant Process Variants of Micro EDM	161
6.1 Introduction	161
6.2 Electrodischarge Grinding	161
6.2.1 Block EDG	161
6.2.1.1 Stationary EDG	162
6.2.1.2 Moving Block EDG	162
6.2.2 Wire EDG	162
6.2.3 Disc EDG	163
6.2.4 Applications	164
6.2.4.1 Microgrinding Tool	164
6.2.4.2 Micromilling Tools	165
6.2.4.3 Punching Tools	165
6.3 Planetary Micro EDM	166
6.4 Reverse Micro EDM	168
6.4.1 Applications and Process Capabilities	170
6.5 Hybrid Micro EDM	171
6.5.1 Simultaneous Micro EDM and Micro ECM	172
6.5.2 Vibration-Assisted Micro EDM	173
6.5.3 Magnetic Field-Assisted Micro EDM	174
6.5.4 Powder-Assisted Micro EDM	177
6.5.5 Sequential Micro EDM and Laser Machining	178
6.5.6 Sequential Micro EDM and LIGA	179
6.5.7 Sequential Micro EDM, Electroforming, and Etching ...	180
6.5.8 Other Hybrid Processes	180
6.5.9 Applications of Hybrid Micro EDM Processes	181
6.6 Other Special Variants of Micro EDM	183
6.6.1 Micro EDM Deposition	183
6.6.2 Deburring and Surface Modifications	183
6.6.3 Nanoparticle Fabrication	183
6.6.4 Machining of Carbon Nanotube Forests	184
6.7 Conclusion	184
References	185
7. Effect of Different Machining Parameters on the Quality of Machining	193
7.1 Introduction	193
7.2 Micro EDM Process Parameters	193
7.3 Performance Parameters	195
7.3.1 Material Removal Rate	195
7.3.2 Tool Wear	197
7.3.3 Overcut	199
7.3.4 Taperness	200
7.3.5 Circularity and Depth Error	201
7.3.6 Short Circuit	201
7.3.7 Surface Roughness	202

7.3.8	Recast Layer Thickness	203
7.4	Conclusion.....	204
	References	205
8.	Different Machining Inaccuracies and Their Causes.....	207
8.1	Introduction	207
8.2	Geometrical Errors.....	208
8.2.1	Overcut.....	208
8.2.2	Taperness.....	208
8.2.3	Roundness Error	210
8.2.4	Bottom Rounding	211
8.2.5	Depth Error.....	211
8.2.6	Width Error.....	212
8.2.7	The Concavity of Tool Tip and Debris Accumulation at the Hole Bottom	213
8.2.8	Concave Walls	214
8.3	Surface Irregularities.....	214
8.3.1	Recast Layer.....	215
8.3.2	Residual Stress.....	216
8.3.3	Microcracks.....	216
8.3.4	Heat-Affected Zone	217
8.3.5	Tool Electrode Migration	217
8.3.6	Carbon Deposition.....	218
8.3.7	Depositions on the Tool	218
8.3.8	Electrolytic Corrosion.....	218
8.4	Conclusion.....	219
	References	219
9.	Modeling of Micro EDM.....	223
9.1	Introduction	223
9.2	Comparison of Micro EDM Modeling and Conventional EDM Modeling	223
9.3	Single-Spark Modeling.....	225
9.3.1	Plasma Channel Modeling.....	226
9.3.1.1	Modeling of Conventional EDM Plasma	228
9.3.1.2	Modeling of Micro EDM Plasma	230
9.3.1.3	Plasma Parameters (Energy Fraction, Heat Flux, Spark Radius).....	233
9.4	Simulation of Crater Formation	237
9.4.1	Assumptions.....	237
9.4.2	Governing Equations	237
9.4.3	Thermal Boundary Conditions on the Electrode Surface.....	238
9.4.4	Generation of Temperature Profile and Crater Geometry	239
9.5	Multispark Modeling.....	241

9.6	Soft Computing Models	243
9.7	Other Models	243
9.8	Conclusion.....	244
	References	244
10.	Tool Wear Modeling and Compensation Methods.....	249
10.1	Introduction	249
10.2	The Principle of Tool Wear Formation in Micro EDM.....	250
10.2.1	Micro EDM Drilling	250
10.2.2	Micro EDM Milling	250
10.2.3	Reverse EDM	252
10.3	Parameters to Quantify the Tool Electrode Wear	252
10.3.1	Linear Wear	252
10.3.2	Volume Wear Ratio	253
10.3.3	Tool Wear Rate.....	253
10.3.4	Relative Tool Wear Ratio	254
10.3.5	Corner Wear Ratio	254
10.3.6	Tool Wear per Unit Tool Travel	254
10.3.7	Tool Wear per Discharge	254
10.4	Assessment of Tool Wear	254
10.4.1	On-Machine Measurement of Tool Wear	255
10.4.1.1	Touch Probe Method.....	255
10.4.1.2	Laser Measurement System.....	255
10.4.2	Image Processing Method	256
10.4.3	Modeling	256
10.5	Tool Wear Compensation.....	257
10.6	Offline Tool Wear Compensation	257
10.6.1	Linear Compensation Method	258
10.6.2	Uniform Wear Method	259
10.6.3	Combined Linear Uniform Wear Method	260
10.6.4	Multiple Electrode Strategies	261
10.6.5	Based on the Scanned Area Method	261
10.6.6	Fixed Length Compensation	262
10.6.7	Fixed Reference Compensation	262
10.6.8	The Drawback of Offline Compensation Methods.....	263
10.7	Online Tool Wear Compensation	263
10.7.1	Discharge Counting Method	263
10.7.2	Servo Scanning Method.....	265
10.7.3	Drawbacks of Online Compensation Methods	265
10.8	Other Methods for Prediction, Correction, and Reduction of Tool Wear	266
10.9	Conclusion.....	270
	References	271
	Index.....	275