

Contents

1	Introduction	1
1.1	Background and Significance	1
1.2	Review	3
1.2.1	Shaking Table Test Technology	3
1.2.2	Dynamic Characteristics of Slope	5
1.2.3	Deformation Characteristics and Instability Mechanism	8
1.2.4	Seismic Stability Evaluation Method	9
1.2.5	Prediction Model for Earthquake-Induced Landslide Hazard	13
1.3	Problems	14
1.4	Research Objectives and Content	15
2	Seismic Array Monitoring Results Analysis	19
2.1	General Condition	19
2.2	Monitoring Data of Seismic Array in 5.12 Wenchuan Earthquake	21
2.3	Response Characteristics Analysis	22
2.4	Frequency Spectrum Response Characteristics	25
2.4.1	Fourier Spectrum Along Elevation	25
2.4.2	Seismic Ground Motion Response Spectrum Along Elevation	28
2.5	Brief Summary	30
3	Shaking Table Test of Rock Slopes	31
3.1	Large-Scale Shaking Table Test Design	32
3.1.1	Purpose	32
3.1.2	Installation	32
3.1.3	Similarity System	32
3.1.4	Similar Materials	38
3.1.5	Test Instruments and Monitoring Points Disposition Principle	40

3.1.6	Testing Points Disposition	43
3.1.7	Design and Manufacture	46
3.1.8	Sensors	51
3.1.9	Loading Scheme	53
3.1.10	Data Collecting System	57
3.1.11	Result Record	57
3.2	Result Analysis	60
3.2.1	Influence Factors of Acceleration Amplification Effect	61
3.2.2	Fourier Spectrum and Response Spectrum of Acceleration	81
3.3	Brief Summary	88
4	Numerical Analysis Research	91
4.1	Brief Introduction to GDEM	91
4.1.1	Advantages of GDEM Software	92
4.1.2	Fundamental Principle of GDEM	93
4.1.3	Verification	94
4.1.4	Fundamental Function	97
4.1.5	Modeling Progress and Methods	98
4.2	Key Problems in Numerical Analysis	98
4.2.1	Numerical Analysis Model	99
4.2.2	Material Parameters and Constitutive Model	101
4.2.3	Boundary Conditions	101
4.2.4	Seismic Ground Motion Input Conditions	102
4.3	Verification of Numerical Analysis Results	104
4.4	Seismic Dynamic Response Features	105
4.4.1	Acceleration Amplification Effects	105
4.4.2	Acceleration Fourier Spectrum	107
4.4.3	Acceleration Amplification Effects	110
4.5	Local Topography Effect	111
4.5.1	Key Problems in Numerical Analysis	112
4.5.2	Calculation Results Analysis	114
4.6	Brief Summary	118
5	Theoretical Solutions of Acceleration Amplification of Hill	121
5.1	Formula Derivation	121
5.1.1	General Thinking and Basic Assumption	122
5.1.2	Generalized Analysis Model	122
5.1.3	Derivation Process	123
5.1.4	Time–Frequency Analysis Process	128
5.1.5	Practical Application	128
5.2	Solving Approach	130
5.3	Verification	130
5.3.1	Overview	130
5.3.2	Verification	131

5.4	Parameter Analysis	133
5.4.1	Peak Value	133
5.4.2	Frequency	133
5.4.3	Bevel Angles	135
5.4.4	“Whiplash Effect”	136
5.5	Comparative Analysis	137
5.5.1	Brief Introduction of Some Seismic Design Code	137
5.5.2	Code for Seismic Design of Buildings GB50011-2010	138
5.5.3	Specifications for Seismic Design of Hydraulic Structures DL/5073-2000	138
5.5.4	Design Specification for Slope of Hydropower and Water Conservancy Project SL/386-2007	139
5.5.5	Comparative Analysis	139
5.6	Brief Summary	141
6	Slope Deformation Characteristics and Formation Mechanism	143
6.1	Brief Introduction	144
6.1.1	Numerical Simulation Method	145
6.1.2	Numerical Analysis Model	145
6.1.3	Numerical Constitutive Model and Material Parameters	145
6.1.4	Boundary Conditions	147
6.2	Deformation Characteristics and Disaster Mechanism	147
6.2.1	Whole Landslide Process	147
6.2.2	Landslide Hazard Phenomenon	149
6.2.3	Landslide Mechanism Analysis	151
6.3	Brief Summary	161
7	Slope Seismic Stability	163
7.1	Slope Seismic Stability	164
7.1.1	General Thinking and Basic Assumption	164
7.1.2	Generalized Analysis Model	165
7.1.3	Reflective and Transmission Coefficients	166
7.1.4	Instant Seismic Stability Coefficient	169
7.1.5	Time-Frequency Analysis Process of Seismic Waves	171
7.1.6	Practical Application of Seismic Wave Time-Frequency Effects	171
7.2	Time-Frequency Analysis Formula Derivation	174
7.3	Verification	174
7.3.1	Overview	175
7.3.2	Gravitational Stress Field	176
7.3.3	Calculation Results’ Comparison	176